

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20050108398").PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/04/10 08:07
L2	1	L1 and ("184" "186" "182" "195" "300" "535" "570")	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/10 08:07
S1	9	((("5,758,184") or ("5,768,258") or ("6,038,604") or ("6,070,189") or ("6,088,511") or ("6,106,575") or ("6,212,617") or ("6,223,207") or ("6,292,822"))).PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/03/29 09:01
S2	0	"10714157".app.	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 09:01
S3	1	"20050108398"	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 09:35

EAST Search History

S4	50	("5179708" "5646981" "4405829" "5404501" "5647002" "5745048" "5781614" "5848272" "6038296" "4835685" "4914583" "5017917" "5210751" "5226172" "5227775" "5365516" "5412803" "5434975" "5473691" "5526357" "5581705" "5621894" "5963731" "5991538" "6006269" "6031825" "6055564" "6075994" "6138168" "6237041" "4423287" "4451700" "4470110" "4520481" "4532625" "4799253" "4893327" "4901260" "4924332" "4929939" "5185604" "5212792" "5222217" "5224212" "5274838" "5313590" "5339427" "5339433" "5357561" "5432903").pn.	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 09:35
S5	0	"10452961".app.	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 11:50
S6	25041	workload or (work adj load)	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 13:15
S7	3971	performance adj metric	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:12
S8	3	S7 near S6	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 13:23
S9	753499	poll\$4 or monitor	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:11

EAST Search History

S10	245871 8	standard\$3 rule resource capabilit\$4	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 13:27
S11	982401	measurement metrics	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:09
S12	75930	S10 with S11	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 13:28
S13	881	(S10 with S11) with S9	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 13:33
S14	220042	throughput congestion	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 13:33
S15	2693	S9 with S14	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 13:33
S16	1202	S15 and S11	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 13:34
S17	90	S16 and S6	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 13:34
S18	5	("4866707" "5282205" "5392398").PN. OR ("6075994").URPN.	US-PGP UB; USPAT; USOCR	OR	ON	2007/03/29 14:45
S19	1	("20030079160").PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/04/02 14:29
S20	1295	monitor\$3 with (system adj resourc\$3)	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/02 14:33

EAST Search History

S21	213865	bottleneck throughput	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/02 14:33
S22	399	S20 and S21	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/02 14:34
S23	359523 4	dehydrat\$4 mov\$3 swap\$4	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/02 14:35
S24	278	S23 and S22	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/02 14:35
S25	278	S24 and time	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/02 14:37
S26	0	(10/209963).APP.	USPAT; USOCR	OR	ON	2007/04/02 14:41
S27	1	09/287,601.app.	USPAT; USOCR	OR	ON	2007/04/02 14:41
S28	552145 1	calculat\$3 configur\$3 assign\$3 appl\$3	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/03 11:32
S29	45590	time with idle	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/03 11:33
S30	40438	S28 and S29	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/03 11:42
S31	12176	S30 and message	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/03 11:34

EAST Search History

S32	267	S28 with S29 same message	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/03 11:44
S33	178	S32 and @pd<"20031114"	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/03 11:47
S34	25062	workload or (work adj load)	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/03 11:47
S35	1	S33 and S34	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/03 11:47
S36	3975	performance adj metric	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/03 11:48
S37	6	S33 and S36	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/03 11:48
S38	6	("2002/0183972").URPN.	USPAT	OR	ON	2007/04/03 16:17
S39	7	((("6901051") or ("5295183") or ("4,284,852") or ("5958015") or ("6754713") or ("7092357") or ("5781726"))).PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/04/03 16:40
S40	3	((("6363461") or ("6788692") or ("5708656"))).PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/04/03 16:49
S41	3	((("5995997") or ("7079904") or ("6954326"))).PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/04/03 16:51
S42	0	718/100-108.ccls	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 11:56

EAST Search History

S43	6235	718/100-108.ccls.	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 15:38
S44	55118	"data processing system"	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 11:57
S45	457	"message processing system"	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 15:38
S46	3975	performance adj metric	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 11:58
S47	2	S46 and S45	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 12:01
S48	2	S47 and time	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 12:01
S49	88	S46 and S43	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 12:01
S50	3975	performance adj metric	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 15:38
S51	3975	S50	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 15:38
S52	6235	718/100-108.ccls.	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 15:38
S53	6235	S52	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 15:39

EAST Search History

S54	88	(S52 and S50) and time	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:01
S55	184	non?activ\$ with message	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 16:23
S56	754168	poll\$4 or monitor	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 16:23
S57	0	(non?activ\$ with message) NEAR S56	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 16:23
S58	145	(non?activ\$ with message) and S56	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/04 16:24
S59	14	(non?activ\$ with message) same S56	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 08:02
S64	11	("4866707" "5282205" "5392398").PN. OR ("2002/0183972" "6075994").URPN.	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 08:23
S65	16	("4642632" "4947420" "5072444" "5109220"). PN. OR ("5282205"). URPN.	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 09:19
S66	1	("6732139").PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/04/05 09:20
S67	568220 6	time time?out age count\$3	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:02
S68	431265 9	determin\$3 generat\$3 calculat\$3	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:09

EAST Search History

S69	755280	poll\$4 or monitor	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:11
S70	634434	S67 and S68 and S69	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:11
S71	25109	workload or (work adj load)	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:14
S72	3991	performance adj metric	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:14
S73	431	S70 and S72 and S71	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:21
S74	149	S73 and ("718".clas. "709".clas. "375".clas.)	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 11:22
S75	1	("20020196131").PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/04/05 16:09
S76	568220 6	time time?out age count\$3	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:10
S77	568220 6	time time?out age count\$3	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:16
S78	69709	queue and S77	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:20
S79	40187	(block\$3 with message)	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:21

EAST Search History

S80	38931	S79 and S77	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:23
S81	359899 2	dehydrat\$4 mov\$3 swap\$4	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:23
S82	20323	S81 and S80	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:24
S83	552577 0	calculat\$3 configur\$3 assign\$3 appl\$3	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:24
S84	19457	S82 and S83	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:25
S85	25109	workload or (work adj load)	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:25
S86	253332	S84 ans S85	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:26
S87	1016	S84 and S85	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:27
S88	3991	performance adj metric	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:27
S89	53	S87 and S88	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/05 16:43
S90	1	("20050117527").PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/04/09 08:19

EAST Search History

S91	125290	calculat\$3 near3 time	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 08:20
S92	407	(calculat\$3 near3 time)with idle	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 08:37
S93	898	(calculat\$3 near3 time)same idle	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 08:20
S94	49432	performance near3 data	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 08:37
S95	32	S92 and S94	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 08:38
S96	3	S92 with S94	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 08:39
S97	3991	performance adj metric	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 08:39
S98	0	S92 with S97	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 08:54
S99	1	("6718425").PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/04/09 08:54
S10 0	1	S99 and S92	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 08:54
S10 1	0	"09846117".app.	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 11:33

EAST Search History

S10 2	1	"09/846117".app.	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 13:22
S10 3	407	(calculat\$3 near3 time)with idle	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 13:22
S10 4	133	S103 and threshold	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 13:23
S10 5	0	((calculat\$3 near3 time)with idle) near3 threshold	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 13:22
S10 6	1	("20050108398").PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/04/09 15:12
S10 7	1	S106 and business	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 15:23
S10 8	1	S106 and non?activation	US-PGP UB; USPAT; USOCR	OR	ON	2007/04/09 15:24